

NOTES:
 (1) USE ONLY WHEN SPEED REDUCTION IS 15 MPH OR GREATER BELOW POSTED OR NORMAL SPEED LIMIT.
 (2) USE WHEN DESIGN SPEED IS 30 MPH OR LESS. CONSIDER USING SIGN ④4.
 (3) USE WHEN DESIGN SPEED LIMIT IS GREATER THAN 30 MPH. CONSIDER USING SIGN ④4.
 (4) USE W01-8a CHEVRON ON DIVIDED HIGHWAYS.

FOR DETAILS AND DIMENSIONS, SEE STANDARD PLAN 616.10.

Signs and Devices Legend
Figure 616



MO4-10R (RIGHT)
MO4-10L (LEFT)

(17)



W020-2

(18)



W020-3

(20)



W021-5b

(21)




W08-9

(22)



W08-9a

(23)




W012-2




W012-2x

(24)



(NORMAL SPEED)
R2-1

(25)




G020-2

(26)



MO4-9R (RIGHT)
MO4-9L (LEFT)

(27)



W012-2



W012-2x

(28)



R11-2

(29)




W012-3a
W012-3b

(30)




W06-3

(31)



W01-4bR (RIGHT)
W01-4bL (LEFT)

(32)



W01-4cR (RIGHT)
W01-4cL (LEFT)

(33)

NOTES:
(5) TYPE B WARNING LIGHTS

FOR DETAILS AND DIMENSIONS, SEE
STANDARD PLAN 616.10.

Signs and Devices Legend

Figure 616



W05-5
(34)



W08-12
(35)




W08-11
(36)



W01-2L (LEFT)
W01-2R (RIGHT)
(37) (3)



W01-1L (LEFT)
W01-1R (RIGHT)
(38) (2)



W03-1a
(39)



W03-2a
(40)



R1-1
(41)



OR



R1-3
(41A) (6)



R4-7a
(42)



W05-1
(43)

BRIDGE

OR

RAMP



W013-1
(44) (7) (8)



W07-3a
(44A) (7)



R4-1
(46)



R4-2
(46A)



R10-6
(47)









OR LOW CLEARANCE

(48)

NOTES:

- (6) ONLY FOR USE WITH STOP SIGN WHEN CONDITION EXISTS. FOR ONE-WAY OR TWO-WAY STOP, A PLATE IS NOT USED.
 - (7) ONLY USED IN COMBINATION WITH WARNING SIGN.
 - (8) SHOULD BE USED WHEN THE DESIGN SPEED IS LESS THAN THE POSTED WORK ZONE SPEED.
- FOR DETAILS AND DIMENSIONS, SEE STANDARD PLAN 616.10.

Signs and Devices Legend
Figure 616



NOTES:
 (9) SEE STANDARD PLAN 903.02 FOR DETAILS OF CARDINAL DIRECTION MARKERS, ROUTE SHIELDS AND DIRECTIONAL ARROWS.
 (10) SPECIAL SIGN - 24" WIDE BY VARIABLE HEIGHT, BLACK LEGEND ON ORANGE BACKGROUND.
 (11) CONES ALLOWABLE FOR DAYLIGHT OPERATIONS ONLY.
 FOR DETAILS AND DIMENSIONS, SEE STANDARD PLAN 616.10.

Signs and Devices Legend
 Figure 616