

NOTES:
 (1) USE ONLY WHEN SPEED REDUCTION IS 15 MPH OR GREATER BELOW POSTED OR NORMAL SPEED LIMIT.
 (2) USE WHEN DESIGN SPEED IS 30 MPH OR LESS. CONSIDER USING SIGN 44.
 (3) USE WHEN DESIGN SPEED LIMIT IS GREATER THAN 30 MPH. CONSIDER USING SIGN 44.
 (4) USE W01-8a CHEVRON ON DIVIDED HIGHWAYS.

FOR DETAILS AND DIMENSIONS, SEE STANDARD PLAN 616.10.

Signs and Devices Legend
 Figure 616



MO4-10R (RIGHT)
MO4-10L (LEFT)

(17)



W020-2

(18)



W020-3

(20)



W021-5b

(21)




W08-9

(22)



W08-9a

(23)




W012-2




W012-2x

(24)



(NORMAL SPEED)
R2-1

(25)




G020-2

(26)



MO4-9R (RIGHT)
MO4-9L (LEFT)

(27)



W012-2



W012-2x

(28)



R11-2

(29)




W012-3a
W012-3b

(30)




W06-3

(31)



W01-4bR (RIGHT)
W01-4bL (LEFT)

(32)



W01-4cR (RIGHT)
W01-4cL (LEFT)

(33)

NOTES:
(5) TYPE B WARNING LIGHTS

FOR DETAILS AND DIMENSIONS, SEE
STANDARD PLAN 616.10.

Signs and Devices Legend

Figure 616



W05-5
(34)



W08-12
(35)




W08-11
(36)



W01-2L (LEFT)
W01-2R (RIGHT)
(37) (3)



W01-1L (LEFT)
W01-1R (RIGHT)
(38) (2)



W03-1a
(39)



W03-2a
(40)



R1-1
(41)



OR



R1-3
(41A) (6)



R4-7a
(42)



W05-1
(43)

BRIDGE

OR

RAMP



W013-1
(44) (7) (8)



W07-3a
(44A) (7)



R4-1
(46)



R4-2
(46A)



R10-6
(47)









OR LOW CLEARANCE

(48)

NOTES:

- (6) ONLY FOR USE WITH STOP SIGN WHEN CONDITION EXISTS. FOR ONE-WAY OR TWO-WAY STOP, A PLATE IS NOT USED.
 - (7) ONLY USED IN COMBINATION WITH WARNING SIGN.
 - (8) SHOULD BE USED WHEN THE DESIGN SPEED IS LESS THAN THE POSTED WORK ZONE SPEED.
- FOR DETAILS AND DIMENSIONS, SEE STANDARD PLAN 616.10.

Signs and Devices Legend
Figure 616



NOTES:
 (9) SEE STANDARD PLAN 903.02 FOR DETAILS OF CARDINAL DIRECTION MARKERS, ROUTE SHIELDS AND DIRECTIONAL ARROWS.
 (10) SPECIAL SIGN - 24" WIDE BY VARIABLE HEIGHT, BLACK LEGEND ON ORANGE BACKGROUND.
 (11) CONES ALLOWABLE FOR DAYLIGHT OPERATIONS ONLY.
 FOR DETAILS AND DIMENSIONS, SEE STANDARD PLAN 616.10.

Signs and Devices Legend
 Figure 616